

SECTIONAL ADAPTER OF CLAMPING HOLDER FOR AUTOMOBILES

FIELD OF THE INVENTION

The present invention relates to a sectional adapter of a
5 clamping holder for automobiles, more particularly to an
adapter applicable for plugging different appliances such as a
mobile phone, a PDA, or a palm game. Regardless of its
manufacture or application for the use in automobiles, the
traditional adapter generally requires different sets of
10 corresponding clamping holders for the electrical connection,
and thus having the shortcomings of being inconvenient and
inapplicable. Therefore, improvements were made by
clamping or sticking the clamping holders inside an
automobile, and the clamping holder has a clamping member
15 for clamping a mobile phone, a PDA, or a palm game, and a
socket disposed at the rear end of the main body and
electrically connected to the internal circuit and further
electrically connected to an adapter by a plug-and-socket
relation. The adapter is mounted onto the clamping holder
20 by a snap-in member, and plugs of various shapes are disposed
at the front edge of the upper section of the adapter for
connecting to corresponding connectors of electronic
appliances. With the snap-in member and the adapter, the
present invention provides a simple way of accessing,
25 removing, or replacing an electronic appliance from the

clamping holder and has the features of being low-priced and capable of changing to corresponding adapters in order to fit the desired clamping devices. The clamping holder of the present invention can accommodate different electronic
5 appliance including mobile phones, PDAs, or palm games of different brands and forms for a quick and convenient electrical connection, and thus greatly improving the usage and the scope of applicability of a clamping holder, and also avoiding unnecessary costs and reducing the volume for
10 storage and transportation.

BACKGROUND OF THE INVENTION

Since the usage of mobile phones, PDAs, or palm games become more popular day after day. In order to maintain safety driving, many countries have prohibited drivers from
15 using mobile phones, PDAs, or palm games when driving a car. Further, the power supply of a car is used for supplying power and charging a battery when these appliances are used in the car. To concurrently meet the requirements for convenience and safety, an automobile usually is equipped with a battery
20 charger or hand-free clamping holder. Further, there are different types and specifications of the sockets, but the battery chargers or hand-free clamping holders are designed for single model only and thus are applicable to a specific model or a specific type of electronic appliances. Besides
25 the costs, such arrangement also occupies space and cause

confusions. When a different electronic appliance or a different model is used, it usually requires to buy new battery chargers or hand-free clamping holders again. Let us assume there are several tens of manufacturers, and each has several
5 different models of connectors. Furthermore, these appliances have a short life cycle, and new models are coming out constantly, and users keep buying them. It is a waste to keep buying and throwing away different adapters and clamping holders repeatedly. Such arrangement also causes
10 inconvenience and trouble to manufacturing for the inventory and storage. In addition, it is inconvenient for users to carry many different sets of clamping holders in a car for the use of an electronic appliance such as a mobile phone, a PDA, or a palm game. Both inconvenience and increased cost are the
15 major subjects that deserve immediate improvements.

SUMMARY OF THE INVENTION

In view of the shortcomings of the conventional adapter of clamping holders for automobiles, the inventor of this invention based on years of experience on the production and design of
20 clamping holders for motor vehicles to conduct researches and experiments to overcome the foregoing shortcomings and finally invented the adapter of clamping holder device for automobiles.

The primary objective of the present invention is to provide a sectional adapter of clamping holder for automobiles, which can be
25 fixed inside a car by clamping or sticking and has a clamping

member for clamping an electronic appliance such as a mobile phone, a PDA, or a palm game. A socket electrically connected to the internal circuit of the adapter is disposed at the rear end of the main body of the clamping holder, so that an adapter can be inserted
5 into the socket to constitute an electrical connection. The adapter is mounted onto the clamping holder by a snap-in member, and plugs of various shapes are disposed at the front edge of the upper section of the adapter for connecting to corresponding connectors of electronic appliances. With the snap-in member and the adapter,
10 the present invention provides a simple way of accessing, removing, or replacing an electronic device from the clamping holder and has the features of being low-priced and capable of changing to different corresponding adapters in order to fit the desired clamping device. The clamping holder of the present invention can
15 accommodate different electronic devices including mobile phones, PDAs, or palm games of different brands and forms for a quick and convenient electrical connection, and thus greatly improving the usage and the scope of applicability of a clamping holder, and also avoiding unnecessary costs and reducing the volume for storage and
20 transportation.

The secondary objective of the present invention is to provide a sectional adapter of clamping holder for automobiles, which installs a voltage transform circuit or a multiple-voltage switch circuit in the main body of the adapter to change the voltages for different
25 mobile phones, PDAs, or palm games, and thus greatly expanding

the scope of its applications and achieving the multiple applications of the adapter.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. 1 is a perspective view of the clamping holder according to a preferred embodiment of the present invention.

FIG. 2 is an exploded view of the clamping holder according to a preferred embodiment of the present invention.

FIG. 3 is a perspective view of the rear side of the clamping holder according to a preferred embodiment of the present invention.

FIG. 4 is an exploded view of the rear side of the clamping holder according to a preferred embodiment of the present invention.

FIG. 5 is an exploded view of the front side of the clamping holder according to a preferred embodiment of the present invention.

FIG. 6 is a perspective view of the adapter according to a preferred embodiment of the present invention.

FIG. 7 is a perspective view of the snap-in member according to a preferred embodiment of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

To make it easier for our examiner to understand the objective of the invention, its structure, innovative features, and performance, we use a preferred embodiment together with the attached drawings for the detailed description of the invention.

Please refer to the figures for the present invention. The

present invention comprises a clamping holder 1, a snap-in member 2, and an adapter 3; wherein the clamping holder 1 mounts a fixing base 4 inside an automobile or into a power socket by clamping or sticking, and comprises a clamping member 10 serving as a retainer to fix a mobile phone, a PDA, or a palm game. A socket is disposed at the rear end of a main body 11 for electrically connected to an internal circuit, and the internal circuit is connected to the socket through the bottom of a power socket 13 or directly connected to the power socket of the automobile. A connector 12 of an adapter 3 is connected to the socket to constitute an electrical connection. The adapter 3 is mounted onto the clamping holder 1 by the snap-in member 2. In the figure, the embedding groove and screws are used for the connection. Further, a connector 30 of different forms is disposed at the front end of the upper section of the adapter 3 for connecting the electronic appliance such as a mobile phone, a PDA, or a palm game. Further, a voltage transform circuit or a multiple-voltage switch circuit is disposed inside the adapter 3 (such circuit is very common in transformers, and has different kinds, and thus will not be described here.) for changing the voltage for supplying power to the connectors 30 of different electronic appliances.

If the present invention only has the clamping function in its practical application, users can insert a fixing base 14 into

the cigarette lighter socket in an automobile or mount the fixing base 14 inside the automobile. Different connectors 30 for the adapter 3 can be adopted to fit the corresponding desired clamping appliances. The adapter 3 is connected to the socket at the rear end of the main body 22 by a connector 12, and the snap-in member 2 fixes the two together. A press button 15 is used to extend the clamping member 10 and thus inserting the desired clamping appliance into the connector 30 at the upper section of the front of an adapter 3 from the main body 11. By means of the blocking of the snap-in member 2 and the clamping of the clamping member 10, the clamping appliance can be securely clamped onto the clamping holder 1. Since the snap-in member 2 and the adapter 3 are simple installable and removable modules and low-priced, therefore an adapter 3 with different connectors is provided for clamping different appliances. Different installable and removable modules can provide a quick installation or a quick removal of the corresponding socket of appliances such as different branded mobile phones, PDAs, or palm games. The present invention improves the usage and scope of applicability of the clamping holder 1, and avoids unnecessary costs, and reduces the volume for storage and transportation. Further, the circuit installed in the main body 11 is electrically connected to the bottom of the power socket 13 or directly to the power socket of the automobile. Besides the electrical

connection, the adapter 3 also has a voltage transform circuit or a multiple-voltage switch circuit for changing the voltage for supplying power to different appliances on the connector 30 in order to meet different voltage requirements.

5 In summation of the above description, the present invention enhances the performance of the conventional structure, and further complies with the patent application requirements and is submitted to the Patent and Trademark Office for review and granting of the commensurate patent
10 rights.

 While the invention has been described by way of example and in terms of a preferred embodiment, it is to be understood that the invention is not limited thereto. To the contrary, it is intended to cover various modifications and similar
15 arrangements and procedures, and the scope of the appended claims therefore should be accorded the broadest interpretation so as to encompass all such modifications and similar arrangements and procedures.